

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

MOTS-C - 40mg

Tested for: Powered Up Peptides

PASS

COA #: **COA-2026-5M-3GI**
Lot Number: **PUP-MS40-001**
Accession #: **ACC-2026-11719**
Labeled Content: **40mg**

Analysis Date: **08/13/2026**
Appearance: **Good**
Sample Matrix: **Powder**
Volume: **3mL**
Date Received: **07/21/2026**



Scan to verify
authenticity at ils-lab.com
Access Code: 86D84YEA

Method: **Purity, Identity & Quantitation (HPLC)**


Identity	Peptide Purity	Fentanyl Free
MOTS-C	98.66%	



Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	98.66%	%	PASS
Net Peptide Content	Report Only	40.83	mg	N/A
Identity (HPLC-RTM)	MOTS-c	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS

HPLC Chromatogram



MOTS-C 40mg - PUP-MS40-001: UV Chromatogram

Notes & Methodology

- Date Tested: 08/13/2026. Methods: Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be MOTS-C by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



Handwritten signature

Dr. Greg Kalyuzhny
Lab Director
8/13/2026

COA #: **COA-2026-5M-3GI**
Access Code: **86D84YEA**
Verify: portal.ils-lab.com/verify/_3sYS3YZMTwJpkV0
Issued: 8/13/2026